

# Incandescent lamps — Safety specifications —

## Part 2: Tungsten halogen lamps for domestic and similar general lighting purposes

The European Standard EN 60432-2:2000, with the incorporation of amendment A1:2005, has the status of a British Standard

ICS 29.140.20

## National foreword

This British Standard is the official English language version of EN 60432-2:2000, including amendment A1:2005. It was derived by CENELEC from IEC 60432-2:1999, including amendment 1:2005. It supersedes BS EN 60432-2:1995 which is withdrawn.

The start and finish of text introduced or altered by IEC amendment is indicated in the text by tags  $\boxed{A_1}$   $\langle A_1 \rangle$ . Tags indicating changes to IEC text carry the number of the IEC amendment. For example, text altered by IEC amendment 1 is indicated in the text by  $\boxed{A_1}$   $\langle A_1 \rangle$ .

The UK participation in its preparation was entrusted by Technical Committee CPL/34/1, Electric lamps, to Subcommittee CPL/34/1/1, General, commercial and domestic lamps, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

### Cross-references

Attention is drawn to the fact that CEN and CENELEC Standards normally include an annex which lists normative references to international publications with their corresponding European publications. The British Standards which implement international or European publications referred to in this document may be found in the *BSI Catalogue* under the section entitled "International Standards Correspondence Index", or by using the "Search" facility of the *BSI Electronic Catalogue* or of British Standards Online.

A British Standard does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

**Compliance with a British Standard does not of itself confer immunity from legal obligations.**

### Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 13, the annex ZA page, an inside back cover and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Electrotechnical Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 June 2000

© BSI 2006

ISBN 0 580 47269 8

### Amendments issued since publication

Amd. No.	Date	Comments
16046	31 March 2006	See national foreword

English version

**Incandescent lamps –  
Safety specifications**  
**Part 2: Tungsten halogen lamps for domestic  
and similar general lighting purposes**  
(IEC 60432-2:1999 + A1:2005, modified)  
(includes amendment A1:2005)

Lampes à incandescence –  
Prescriptions de sécurité  
Partie 2: Lampes tungstène-halogène  
pour usage domestique et éclairage  
général similaire  
(CEI 60432-2:1999 + A1:2005, modifiée)  
(inclut l'amendement A1:2005)

Glühlampen –  
Sicherheitsanforderungen  
Teil 2: Halogen-Glühlampen für den  
Hausgebrauch und ähnliche allgemeine  
Beleuchtungszwecke  
(IEC 60432-2:1999 + A1:2005, modifiziert)  
(enthält Änderung A1:2005)

This European Standard was approved by CENELEC on 1999-12-01. Amendment A1 was approved by CENELEC on 2005-09-01. CENELEC members are bound to comply with the GEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Central Secretariat: rue de Stassart 35, B - 1050 Brussels**

### Foreword

The text of document 34A/884/FDIS, future edition 2 of IEC 60432-2, prepared by SC 34A, Lamps, of IEC TC 34, Lamps and related equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC, together with the common modifications of the previous edition, as EN 60432-2 on 1999-12-01.

This European Standard supersedes EN 60432-2:1994, with its corrigendum March 1995 and its amendments A1:1996 and A2:1997.

The following dates were fixed:

- latest date by which the EN has to be implemented  
at national level by publication of an identical  
national standard or by endorsement (dop) 2000-10-01
- latest date by which the national standards conflicting  
with the EN have to be withdrawn (dow) 2003-01-01

This standard is intended to be used in conjunction with EN 60432-1:1994.

Annexes designated "normative" are part of the body of the standard.

Annexes designated "informative" are given for information only.

In this standard, annexes A, B and ZA are normative and annexes C and D are informative.

Annex ZA has been added by CENELEC.

---

### Endorsement notice

The text of the International Standard IEC 60432-2:1999 was approved by CENELEC as a European Standard with agreed common modifications as given below.

### COMMON MODIFICATIONS

Lamps with the following caps are excluded from this European Standard as they do not comply with European safety requirements.

E12  
E17  
E26

---

## Foreword to amendment A1

The text of amendment 1:2005 to the International Standard IEC 60432-2:1999, prepared by SC 34A, Lamps, of IEC TC 34, Lamps and related equipment, together with the common modifications prepared by CENELEC Reporting Secretariat SR 34A, was submitted to the formal vote and was approved by CENELEC as amendment A1 to EN 60432-2:2000 on 2005-09-01.

The following dates were fixed:

- latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2006-09-01
- latest date by which the national standards conflicting with the amendment have to be withdrawn (dow) 2008-09-01

---

## Endorsement notice

The text of amendment 1 :2005 to the International Standard IEC 60432-2:1999 was approved by CENELEC as an amendment to the European Standard with the agreed common modifications as given below.

### COMMON MODIFICATIONS

Lamps with the following caps are excluded from this European Standard as they do not comply with European safety requirements.

E12  
E17  
E26

---

## CONTENTS

Clause	Page
1 General .....	5
1.1 Scope .....	5
1.2 Normative references .....	5
1.3 Definitions .....	6
2 Requirements .....	6
2.1 General .....	6
2.2 Marking .....	6
2.3 Protection against accidental contact in screw lampholders.....	6
2.4 Lamp cap temperature rise ( $\Delta t_G$ ).....	6
2.5 Resistance to torque .....	7
2.6 Insulation resistance of B15d, B22d, E26/50×39 and E27/51×39 capped lamps and other lamps having insulated skirts .....	7
2.7 Accidentally live parts .....	7
2.8 Creepage distance for B15d and B22d capped lamps.....	7
2.9 Safety at end of life .....	9
2.10 Interchangeability.....	9
2.11 UV radiation.....	9
2.12 Information for luminaire design .....	9
3 Assessment .....	9
Annex A (normative) Alternative induced failure test.....	10
Annex B (normative) Symbols.....	11
Annex C (informative) Information for luminaire design.....	12
Annex D (informative) Bibliography.....	13
Annex ZA (normative) Normative references to international publications with their corresponding European publications.....	14

## INCANDESCENT LAMPS – SAFETY SPECIFICATIONS –

### Part 2: Tungsten halogen lamps for domestic and similar general lighting purposes

#### 1 General

This standard shall be used in conjunction with IEC 60432-1.

##### 1.1 Scope

**A1** This part of IEC 60432 specifies the safety and the related interchangeability requirements of tungsten halogen lamps for general lighting service. It covers those tungsten halogen lamps that are used as direct replacements for conventional tungsten filament lamps as well as new tungsten halogen lamps which have no correspondence in IEC 60432-1, but for which the safety and interchangeability requirements are treated by this standard in conjunction with IEC 60432-1. These tungsten halogen lamps have the following characteristics:

- rated wattage up to and including 250 W;
- rated voltage of 50 V to 250 V inclusive;
- caps B15d, B22d, E12, E14, E17, E26, E26d, E26/50x39, E27 or E27/51x39.

Lamps complying with this standard are self-shielded, but need not be marked with a special symbol. As they are direct replacements for conventional tungsten filament lamps, there will be no corresponding luminaire marking.

NOTE 1 There is no implication that a tungsten halogen lamp used as a substitute for an incandescent tungsten filament lamp would use the same bulb shape as the original incandescent lamp.

NOTE 2 There are two variations of E26 caps which are not fully compatible: E26/24 caps used in North America and E26/25 caps used in Japan.

NOTE 3 Self-shielded lamps are lamps for which the luminaire needs no protective shield. **A1**

##### 1.2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 60432. For dated references, subsequent amendments to, or revisions of, these publications do not apply. However, parties to agreements based on this part of IEC 60432 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60050(845), *International Electrotechnical Vocabulary (IEV) – Chapter 845: Lighting*

IEC 60410, *Sampling plans and procedures for inspection by attributes*

IEC 60432-1, *Incandescent lamps – Safety specifications – Part 1: Tungsten filament lamps for domestic and similar general lighting purposes*

### 1.3 Definitions

For the purpose of this part of IEC 60432, the definitions of IEC 60432-1 apply. In addition, the following definitions apply.

#### 1.3.1

##### **specific effective radiant UV power**

effective power of the UV radiation of a lamp related to its luminous flux

Unit: mW/klm

For a reflector lamp, this is the effective irradiance of the UV radiation related to the illuminance

$\overline{A_1}$  Unit: mW/(m<sup>2</sup>·klx)

NOTE The effective power of the UV radiation is obtained by weighting the spectral power distribution of the lamp with the UV hazard function  $S_{UV}(\lambda)$ . Information about the relevant UV hazard function is given in CIE S 009:2002, *Photobiological safety of lamps and lamp systems*. It only relates to possible hazards regarding UV exposure of human beings. It does not deal with the possible influence of optical radiation on materials, such as mechanical damage or discoloration.  $\overline{A_1}$

#### 1.3.2

##### **outer envelope**

transparent or translucent enclosure containing an inner tungsten halogen light source

#### 1.3.3

##### **general lighting tungsten halogen lamp**

tungsten halogen lamp for which the safety and interchangeability are covered by this standard in conjunction with IEC 60432-1

#### 1.3.4

##### **tungsten halogen lamp**

gas-filled lamp containing halogens or halogen compounds, the filament being of tungsten [IEV 845-07-10]

## 2 Requirements

### 2.1 General

The requirements of IEC 60432-1 apply.

### 2.2 Marking

The requirements of IEC 60432-1 apply.

The lamp manufacturer shall provide a cautionary notice, or suitable graphical symbol (an example is shown in annex B), if safety hazards exist when an outer envelope is broken.

### 2.3 Protection against accidental contact in screw lampholders

The requirements of IEC 60432-1 apply.

### 2.4 Lamp cap temperature rise ( $\Delta t_s$ )

$\overline{A_1}$  The requirements of IEC 60432-1 apply. In order to maintain thermal interchangeability in existing luminaires, the  $\Delta t_s$  value of a general lighting tungsten halogen lamp shall not exceed the value, specified in Table 2 of IEC 60432-1, of the lamp for which it is substituted.  $\overline{A_1}$



**A1)** For PAR-shaped lamps with unskirted caps intended to be substitutes for R-shaped lamps, the values of group 7 in Table 2 of IEC 60432-1 apply.

For PAR-shaped lamps with unskirted caps not intended to substitute for R-shaped lamps, the values of Table 1 apply.

For BT-shaped lamps that are intended as substitutes for A-shaped lamps, the values of group 1 in Table 2 of IEC 60432-1 apply.

Table 1 below, contains additional requirements for lamps not having a corresponding type in Table 2 of IEC 60432-1.

**Table 1 – Maximum allowable cap temperature rise ( $\Delta t_s$ )**  
**Additions to IEC 60432-1, Table 2, for general lighting tungsten halogen lamps**

Group number	Wattage W	Bulb shape	$\Delta t_s$ max.							
			K							
			B15d	B22d	E12	E14	E17	E26/24	E26/25	E27
1	250	T-shape and other shapes intended for use in same luminaire	-	165	-	-	-	-	-	-
2	100	T-shape and other shapes intended for use in same luminaire	145	-	-	140	-	-	-	-
8	250	PAR shapes <sup>1)</sup>	-	-	-	-	-	<sup>3)</sup>	-	-
10 <sup>2)</sup>	75	T-shape without outer envelope	145	-	-	-	-	-	-	-
	100		150	-	-	-	-	-	-	
	150		165	-	-	-	-	-	-	
	250		165	-	-	-	-	-	-	
11 <sup>2)</sup>	100	PAR shapes with unskirted caps not intended as substitutes for R shapes	-	-	-	-	-	145	-	-

<sup>1)</sup> Lamps with skirted caps: E26/50x39, E27/51x39, etc.

<sup>2)</sup> Groups 10 and 11 are new groups.

<sup>3)</sup> Under consideration.



## 2.5 Resistance to torque

The requirements of IEC 60432-1 apply. The heating test shall be conducted at the relevant values of IEC 60432-1, table K.1, or table C.1 of this standard.

## 2.6 Insulation resistance of B15d, B22d, E26/50x39 and E27/51x39 capped lamps and other lamps having insulated skirts

The requirements of IEC 60432-1 apply.

## 2.7 Accidentally live parts

The requirements of IEC 60432-1 apply.

## 2.8 Creepage distance for B15d and B22d capped lamps

The requirements of IEC 60432-1 apply.

## 2.9 Safety at end of life

The requirements of IEC 60432-1 apply, except that the induced failure test shall be replaced by an alternative induced failure test in accordance with annex A of this standard.

NOTE The alternative induced failure test is also suitable for lamps with rated voltages below 100 V.

## 2.10 Interchangeability

The requirements of IEC 60432-1 apply.

**A1** Text deleted. **A1**

## 2.11 UV radiation

**A1** The specific effective radiant UV power of a lamp shall not exceed:

- 2 mW/klm or,
- for reflector lamps 2 mW/(m<sup>2</sup>·klx).

Compliance is checked by measurement of the spectral power distribution and subsequent calculation of the specific effective radiant UV power. **A1**

## 2.12 Information for luminaire design

See annex C.

## 3 Assessment

The requirements of IEC 60432-1 apply, modified as follows:

Table 2 replaces table 6 of IEC 60432-1.

In presenting the test results, the manufacturer may combine results for different lamp classes according to column 4 of table 6 of IEC 60432-1 and table 2 of the present standard, provided that the requirements are common.

**A1** Sampling in line with H.2.3 of IEC 60432-1 is not applicable. **A1**

**Table 2 – Grouping of test records, sampling and acceptable quality levels (AQL) for general lighting tungsten halogen lamps**

1 Subclause number of this standard	2 Tests per IEC 60432-1 <sup>1)</sup>	3 Type of test	4 Grouping of test records between lamp classes	5 Minimum annual sample per grouping	6 AQL <sup>2)</sup> %
2.2	Marking legibility	Running	All classes with same method of marking	200	2,5
	Marking durability	Running	All classes with same method of marking	32	2,5
2.2	Presence of required symbol	Running	All classes with same method of marking	32	2,5
2.3	Accidental contact	Running	All lamps tested with their appropriate gauge	32	1,5
2.4	Cap temperature rise	Design <sup>3)</sup> or periodic	Lamps by class	5 at any design change 20	
2.5	Resistance to torque Unused lamps a) test by attributes according to C.1.4a)	Running	All lamps with the same cement and the same cap	80	0,65
	b) test by variables <sup>4)</sup> according to C.1.4b)	Running	All lamps with the same cement and the same cap	25	0,65
2.5	After heating a) test by attributes according to C.2.3a)	Periodic <sup>5)</sup>	All lamps with the same cement and the same cap	80	0,65
	b) test by variables <sup>4)</sup> according to C.2.3b)	Periodic <sup>5)</sup>	All lamps with the same cement and the same cap	20	0,65
2.6	Insulation resistance	Running	All classes with B15d, B22d, E26/50x39 and E27/51x39 cap	315	0,4
2.7	Accidentally live parts	100 % inspection	–	–	–
2.8	Creepage distance	Design	a) All lamps with B15d caps b) All lamps with B22d caps	5 or 10 at design change <sup>6)</sup> 5 or 10 at design change <sup>6)</sup>	
2.9	Safety at end of life Alternative induced failure	Design	See clause H.1	clause H.2	According to compliance conditions of clause H.4
2.10	Operation-to-failure Interchangeability	Periodic Periodic	All lamps of all classes All classes with the same cap	315 32	0,25 2,5
2.11	UV radiation	Design	All lamps having the same outer envelope or bulb	5	–

<sup>1)</sup> The clause and annex numbers in columns 2, 4, 5 and 6 refer to IEC 60432-1.

<sup>2)</sup> Use of this term is indicated in IEC 60410, where operating characteristics can be found.

<sup>3)</sup> See 3.3.3 of IEC 60432-1.

<sup>4)</sup> Assessed in accordance with annex G of IEC 60432-1.

<sup>5)</sup> For lamps with uncemented caps, this shall be a design test.

<sup>6)</sup> See 3.3.4 of IEC 60432-1.

## Annex A (normative)

### Alternative induced failure test

#### A.1 Test circuit and equipment

The requirements of clauses D.1 and D.2 of IEC 60432-1 apply, except that instead of a pulse generator a laser of adequate power shall be used to induce burn-out of the filament.

NOTE An example of a suitable laser is a neodymium-glass laser.

#### A.2 Test procedure

The lamp to be tested shall be inserted in the lampholder and the safety cover put in place. Through a small hole in the cover, the laser beam shall be aligned and focused on the lamp filament.

The lamp shall be switched on, applying rated voltage only. After complete warm-up of the lamp, a laser pulse shall be applied.

If the lamp remains alight, the output power of the laser shall be increased and the laser pulse shall be applied again. This procedure shall be repeated until burn-out of the filament is achieved.

NOTE If the focusing of the laser beam is disturbed by the finish of the lamp or the structure of the outer envelope, specially prepared samples should be used.

#### A.3 Inspection and assessment

After the test, each test lamp is examined. If:

- a) the bulb is no longer intact;
- b) or the bulb is detached from the cap;
- c) or, for bayonet caps only, there is a short circuit between either contact and the shell,


then the lamp is deemed to have failed the test and is counted as a non-conformity.

## Annex B (normative)

### Symbols

The height of graphical symbols shall be not less than 5 mm, and for letters, not less than 2 mm.

The cautionary notice regarding broken outer envelope is the following:



NOTE 1 The cap and bulb may be varied to show the shape of the lamp.

NOTE 2 The above cross may be varied if this improves the readability of the information.

## Annex C (informative)

### Information for luminaire design

#### C.1 General

The information given in IEC 60432-1 applies.

#### C.2 Maximum cap temperature


Table C.1 contains additional information for lamps not having a corresponding type in table K.1 of IEC 60432-1.

**Table C.1 – Maximum cap temperatures**

Cap type	Wattage W	Temperature °C
B15d	75, 100 150, 250	210 250
B22d	250	250
E14	100	210
E26/24	100	210
E26/50x39	250	250
E27	250	250

#### C.3 Protection from water contact

All lamps within the scope of this standard should be protected from direct water contact, e.g. drips, splashing, etc., by the luminaire if rated at IPX1 or higher.

NOTE The X in the IP number indicates a missing numeral but both of the appropriate numerals are marked on the luminaire. 

**Annex D**  
(informative)

**Bibliography**

- [1] ACGIH: "Threshold limit values and biological exposure indices", American Conference of Governmental Industrial Hygienists, Cincinnati, Ohio, USA.
- [2] IRPA/INIRC: "Guidelines on limits of exposure to ultraviolet radiation of wavelengths between 180 nm and 400 nm", *Health Physics*, Vol. 49, pp 331-340, 1985.
- [3] IRPA/INIRC: "Proposed changes to the IRPA 1985 guidelines on limits of exposure to ultraviolet radiation", *Health Physics*, Vol. 56, pp 971-972, 1989.

NOTE INIRC: International Non-Ionizing Radiation Committee; IRPA: International Radiation Protection Association.

Ⓐ CIE S 009/E:2002, *Photobiological safety of lamps and lamp systems* Ⓐ

---

**Annex ZA (normative)**

**Normative references to international publications  
with their corresponding European publications**

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE: When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-845	1987	International electrotechnical vocabulary Chapter 845: Lighting	-	-
IEC 60410	1973	Sampling plans and procedures for inspection by attributes	-	-
IEC 60432-1	1999	Incandescent lamps - Safety specifications Part 1: Tungsten filament lamps for domestic and similar general lighting purposes	EN 60432-1	2000





---

---

## BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

### Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

### Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001. Fax: +44 (0)20 8996 7001. Email: [orders@bsi-global.com](mailto:orders@bsi-global.com). Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

### Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: +44 (0)20 8996 7111. Fax: +44 (0)20 8996 7048. Email: [info@bsi-global.com](mailto:info@bsi-global.com).

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: +44 (0)20 8996 7002. Fax: +44 (0)20 8996 7001. Email: [membership@bsi-global.com](mailto:membership@bsi-global.com).

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsi-global.com/bsonline>.

Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

### Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright & Licensing Manager. Tel: +44 (0)20 8996 7070. Fax: +44 (0)20 8996 7553. Email: [copyright@bsi-global.com](mailto:copyright@bsi-global.com).